




Type LKM



Trapézoïdal suivant ISO 2901/2903 et DIN103

Ecrou - Nylon PA6.6 - tolérance 7H

Référence Type	Pas - Hand		Dimensions - mm		Taraudage tolérance 7H - mm					Surface de contact	Poids
	Droite Right	Gauche Left	ØA	L	D1		D2		D4	Contact sur- face	Weight
					maxi	mini	maxi	mini		mm / 300 mm	Kg/ M
LKM 8x1,5	*		18	16	6,690	6,500	7,474	7,25	8,3	150	0,005
LKM 10x2	*	*	22	20	8,236	8,000	9,250	9,00	10,5	225	0,009
LKM 12x3	*	*	26	24	9,316	9,000	10,800	10,50	12,5	325	0,012
LKM 16x4	*	*	36	32	12,375	12,000	14,355	14,00	16,5	587	0,032
LKM 20x4	*	*	45	40	16,375	16,000	18,355	18,00	20,5	943	0,060
LKM 24x5	*	*	50	48	19,450	19,000	21,900	21,50	24,5	1 370	0,088
LKM 30x6	*	*	60	60	24,500	24,000	27,450	27,00	31,0	2 178	0,150
LKM 36x6	*	*	75	72	30,500	30,000	33,450	33,00	37,0	3 194	0,300
LKM 40x7	*	*	80	80	33,700	33,000	36,950	36,50	41,0	3 984	0,370
DOUBLE FILETS											
LKM 10x4	*		22	20	8,326	8,000	9,280	9,00	10,5	225	0,009
LKM 12x6	*		26	24	9,315	9,000	10,836	10,50	12,5	325	0,012
LKM 16x8	*		36	32	12,375	12,000	14,378	14,00	14,5	587	0,032
LKM 20x8	*		45	40	16,375	16,000	18,398	18,00	20,5	943	0,060
LKM 24x10	*		50	48	19,450	19,000	21,948	21,50	24,5	1 370	0,088
LKM 30x12	*		60	60	24,500	24,000	27,504	27,00	31,0	2 178	0,150
LKM 36x12	*		75	72	30,500	30,000	33,504	33,00	37,0	3 194	0,300
LKM 40x14	*		80	80	33,700	33,000	37,004	36,50	41,0	3 984	0,370

Vis trapézoïdales